
SFS Safety First Systems Inc.

Fall Protection Catalogue 2008-2009

Jobsite Safety is our Business!



**Safety Boot[®]
Guardrail System**

THE **Bodyguard**
RAIL™

Safety First Systems Inc.



Bay F 7111 - 6 Street S.E., Calgary, Alberta, Canada T2H 2M8
Phone (403) 301-4041 Toll Free 1-866-902-4041 Fax (403) 301-4042
e-mail info@safetyfirstcanada.com

www.safetyfirstcanada.com



Engineering tests available @ www.safetyfirstcanada.com

One-piece construction of durable, high-impact polymer capable of with standing, without failure, pressures in excess of 700 lbs at temperatures of -35°C

Freestanding Guardrail System which exceeds all requirements.

Easily installed with special fasteners on virtually any surface or sub-floor material by Framer or Supervisor.

Can be placed at a maximum of 8 feet on center.

Double 2X4 vertical post cavity in Safety Boot™ for extra strength.

Lightweight – easily moved from job site to job site, even with vertical post left in place.

Inexpensive solution to an age-old problem – your costs decrease with every application. Have contractors using same Safety Boots after several years.

Bright yellow in color, easily seen. UV protector shields the Safety Boots from damage of sun.

Slots for Removable Toe Boards that allow for cleaning or movement of materials.

Safety Boot™ Temporary Guardrail System remains in place even at drywall stage. Have finishing carpenter remove when permanent rails are installed.



Used by thousands of building contractors worldwide. Incorporate the Safety Boot® Guardrail System into your safety program today because SAFETY CAN'T WAIT!

A Simple, Low-Cost Solution for Temporary Guardrails

EXCEEDS
OH&S LOAD
REQUIREMENTS

Safety Boot® Guardrail System

VersiShield™ Guardrail Clamp Simple, Effective Temporary Guardrail Clamping System

The VersiShield™ Guardrail Clamp allows contractors to quickly erect freestanding, OH&S compliant guardrail systems on concrete pre-formed stairs without drilling or fasteners. The guardrail clamping system can be utilized on most open edged stairway structures.



Patents Pending



www.safetyfirstcanada.com

Member: Associated General Contractors of America, National Association of Home Builders and National Safety Council

A Simple, Low-Cost Solution for Temporary Guardrails



Safety Boot® Guardrail System

SurShield™ Guardrail Clamp Simple, Effective Temporary Guardrail Clamping System



The SurShield™ Guardrail Clamp allows contractors to quickly erect freestanding, OH&S compliant guardrail systems on concrete decks without drilling or fasteners. The guardrail clamping system can be utilized on most open edged structures and is used in conjunction with the Safety Boot® Guardrail System.



Patents Pending



www.safetyfirstcanada.com

Member: Associated General Contractors of America, National Association of Home Builders and National Safety Council

CARNIE CAP



The Carnie Cap System is superior to any other rebar impalement protection available today. Unlike traditional rebar caps (which provide little or no impalement protection), the Carnie Cap System, when correctly installed, will withstand a 250 pound weight dropped from 10 feet without the rebar protruding

The Carnie Cap is also less expensive than troughs. In fact, only two Carnie Caps are needed per each eight-foot section. Plus, by reducing injuries, installation time and inventory overhead, Carnie Caps not only protect workers, they can protect a company's bottom line.



- Economical.
- Low maintenance, not easily knocked off.
- Packaged 100 per box for additional savings.
- Quick and easy to install.
- Substantially reduce costs associated with injuries and downtime from rebar impalement.
- Available for use on 2" x 4"s and 2" x 6"s.
- Fits rebar sizes 10m - 30m (#3 - #9) and 15m - 55m (#5 - #18).



WORKSTAIRS®

1 hour full-size, solid stairs!

For basements, attics, lofts, shops, cottages
condos, warehouses, cabins, barns, sheds
decks, storage and building jobsites



85% made of
recycled steel.

Permanent, adjustable & movable, silent
super solid, safe (OSHA compliant)
powder-coated; termite, mould
& rust proof. Limited warranty

Left & right 16 gauge, double C channel
welded steel stair stringers and
11 inch (height adjustable)
1/4" steel bolted top hook straps
1 hour / tread assembly (*)

4 models


WS0: 90" to 100" high / 82.5" run

WS1: 100" to 111" high / 90" run

WS2: 112" to 123" high / 97.5" run

WS3: 121" to 135" high / 112.5" run

(*) Tread widths must comply
with materials load capacity



Hands free
alternative to
ladders and
scaffolds.



min. 2x8 or
2x10 treads
and 2x4 railing
recommended
(not included)



Patent pending



SAFETY FIRST SYSTEMS, INC.

Tel: 403.301.4041 Toll-Free: 1.866.902.4041 Fax: 403.301.4042

www.safetyfirstcanada.com info@safetyfirstcanada.com


Safety First Systems Inc.

Bay F 7111 - 6 Street S.E., Calgary, Alberta, Canada T2H 2M8
Phone (403) 301-4041 Toll Free 1-866-902-4041 Fax (403) 301-4042
e-mail info@safetyfirstcanada.com


www.safetyfirstcanada.com



The C- Clamp System



- **The most versatile and innovative guardrail system on the market.**
- **Works on wood , concrete and brick.**
- **Expands from 7" to 12" [custom sizes available.]**
- **Easy installation and removal .**
- **Complies with applicable OSHA standards.**
- **Durable powdercoat finish .**
- **Can be installed eight feet apart .**
- **Workers do not have to lean over parapet walls to install.**



Dominion Construction Company Inc.
U of C, Calgary, Alberta

Price includes : 1 post and 1 c-clamp.



Bay F 7111 - 6 Street S.E., Calgary, Alberta, Canada T2H 2M8
Phone (403) 301-4041 Toll Free 1-866-902-4041 Fax (403) 301-4042
e-mail info@safetyfirstcanada.com

www.safetyfirstcanada.com

The Wallmount System



- **Temporary perimeter guardrail system.**
- **Works on metal studs, wood framing, concrete and masonry blocks.**
- **Complies with applicable OSHA safety standards.**
- **Durable powdercoat finish.**
- **Adjustable leg insert for added strength.**
- **All parts are compatible with several other BODYGUARDRAIL SYSTEMS.**
- **Leg insert is retractable for easy storage.**




Price includes : 1 post, 1 leg insert and 2 regular feet



Bay F 7111 - 6 Street S.E., Calgary, Alberta, Canada T2H 2M8
Phone (403) 301-4041 Toll Free 1-866-902-4041 Fax (403) 301-4042
e-mail rcundy@safetyfirstcanada.com

www.safetyfirstcanada.com

The Basic Rail System



- Temporary perimeter guardrails .
- Lightweight and stores easily.
- Pivotal feet adjust from flat to 16/12 sloped surfaces.
- Can be installed anywhere on the roof .
- Easy installation and removal by one person.
- Durable powdercoat paint finish.
- Complies with all applicable OSHA safety standards.
- All parts are compatible with several other BODYGUARDRAIL systems.




Price includes: 1 post, 1 arm, 2 regular feet.



Bay F 7111 - 6 Street S.E., Calgary, Alberta, Canada T2H 2M8
Phone (403) 301-4041 Toll Free 1-866-902-4041 Fax (403) 301-4042
e-mail rcundy@safetyfirstcanada.com

www.safetyfirstcanada.com

The Roofers System



- Temporary perimeter guardrail system .
- Adjusts from flat to 16/12 sloped surface .
- Works on shingled roofs .
- Easy installation and removal .
- Acts as a debris catch for shingle removal .
- Complete all roofing installation with the system in place .
- Durable powdercoat finish .
- Can be installed eight feet apart .
- Easy converts to the Basic Rail application .




Price includes : 1 post, 1 arm, 2 regular feet and 1 roofing foot



Bay F 7111 - 6 Street S.E., Calgary, Alberta, Canada T2H 2M8
Phone (403) 301-4041 Toll Free 1-866-902-4041 Fax (403) 301-4042
e-mail rcundy@safetyfirstcanada.com

www.safetyfirstcanada.com

The Roof Edge System




- Will make your roof job easier and safer.
- Can be use with roof gutters in place.
- Temporary perimeter guardrail system .
- Adjusts from flat to 16/12 sloped surface .
- Works on shingled roofs .
- Easy installation and removal .
- Acts as a debris catch for shingle removal .
- Complete all shingle installation with the system in place .
- Durable powdercoat finish .
- Can be installed eight feet apart .

Price includes : 1 post, 1 leg insert assembly, 1 regular foot,1 roofing bracket.




The Roof Master System

- **State of the art hanging platform and guardrail system.**
- **Height adjustment without removing the planks.**
- **Works on 4", 6", 8" wood , metal and concrete walls.**
- **Complies with applicable OSHA safety standards.**



- **Lightweight for quick and easy handling.**
- **Folds down for easy storage.**
- **Save time with easy setup.**
- **Quick release wall hook.**
- **Weights only 22 lbs.**
- **Rated at 250 lbs per bracket.**
- **Optional dual post protection.**




Quick Release Safety Latch




Bay F 7111 - 6 Street S.E., Calgary, Alberta, Canada T2H 2M8
Phone (403) 301-4041 Toll Free 1-866-902-4041 Fax (403) 301-4042
e-mail info@safetyfirstcanada.com

www.safetyfirstcanada.com

The Platform System



- Can be used with roofing feet to prevent damage to the shingled roofs.
- Works on roofs from 3/12 to 12/12 slopes.
- Creates a 20" leveled walking platform.
- Acts as a debris catch platform for roof shingle removal.
- Complies with all applicable OSHA safety standards.
- All parts are compatible with several other BODYGUARDRAIL systems.
- Can be spaced up to eight feet apart.
- Durable powdercoat finish.



Price includes: 1 post, 1 arm, 1 leg insert and 2 roofing feet.




Bay F 7111 - 6 Street S.E., Calgary, Alberta, Canada T2H 2M8
Phone (403) 301-4041 Toll Free 1-866-902-4041 Fax (403) 301-4042
e-mail info@safetyfirstcanada.com

www.safetyfirstcanada.com

The Truss Setter System

- Heavy duty work platform and guardrail system.
- Works on 4", 6", 8" wood , metal and concrete walls.
- Complies with applicable OSHA safety standards.

- Acts as a debris catch platform.
- Easy set up and removal.
- Height adjustable platform bracket.
- Dismantles for easy storage.




Price includes: 1 post, 1 wall hook and 1 platform bracket.



Bay F 7111 - 6 Street S.E., Calgary, Alberta, Canada T2H 2M8
Phone (403) 301-4041 Toll Free 1-866-902-4041 Fax (403) 301-4042
e-mail info@safetyfirstcanada.com

www.safetyfirstcanada.com

The Wall Bracket System



- **Medium duty hanging platform system.**
- **Innovative front and back protection.**
- **Adjustable hook for 4", 6", 8" walls.**
- **36" combination wall bracket.**
- **Durable powdercoat finish.**
- **Triple 4"X 4" cross rail bracket.**
- **Cross angle for exceptional stability.**

Price includes: 1 Wall Bracket and 1 Post

BASEMATE

Professional Ladder Stabilizer
Stabilisateur Professionnel pour échelle

SAFE

Extra wide footprint increases ladder stability. Provides stable platform on uneven surfaces.

SÉCURITAIRE

L'empreinte de pas large augmente la stabilité de l'échelle. Fournit une plateforme stable sur les surfaces inégales.

STRONG

Hardened Steel Leg exceeds, Grade 1 (Canada) ladder requirements.

FORT

Jambe en acier trempé qui excède les exigences requises pour échelle Classe 1 (Canada)

EASY

Ladder self levels with effortless one foot operation.

FACILE

Système de mise au niveau avec l'aide d'un seul pied. Conception brevetée qui permet l'installation sur la plupart des échelles.

LIGHT

Increases ladder weight by less than 6 lbs.

LÉGER

Ajoute moins de 6 livres au poids total de l'échelle.

WITH ICE GRIP
AVEC AGRIPPE-GLACE




BM-2007

Plus que pratique, BASEMATE aide à rendre n'importe quelle échelle plus sécuritaire et plus facile à utiliser. Sa large base augmente la stabilité sur un terrain plat et s'ajuste rapidement à un terrain inégal.

Construit solide pour le professionnel et le propriétaire de maison qui apprécie sécurité, temps et efficacité.

More than a convenience, BASEMATE helps to make any extension ladder safer and easier to use. The wide stance increases stability on even ground, and quickly adjusts to uneven terrain.

Built tough, for professionals and homeowners who value safety, time and convenience.



Made in China / Fabriqué en Chine